




RECTANGLES  
SQUARE CORNERS




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.125	2.500	————	0.369	14	2-3
8-1-2995	0.125	3.000	————	0.443	14	3-4
	0.140	0.440	————	0.066	18	< 1/2
	0.140	1.312	————	0.217	13	1-2
	0.187	0.250	————	0.055	16	< 1/2
	0.188	0.625	————	0.139	12	1/2-1
8-6-10208	0.188	0.625	————	0.139	12	1/2-1
	0.188	1.000	————	0.222	11	1-2
	0.188	1.250	————	0.276	10	1-2
8-4-8540	0.188	1.250	————	0.276	10	1-2
	0.188	1.500	————	0.332	10	1-2
	0.188	2.000	————	0.443	10	2-3
	0.188	2.250	————	0.498	10	2-3
8-2-9768	0.187	2.406	————	0.531	10	2-3
	0.188	2.500	————	0.553	10	2-3
	0.187	2.875	————	0.635	10	2-3
	0.188	3.000	————	0.664	10	3-4
8-1-9769	0.187	4.625	————	1.09	9	4-5
8-1-3468	0.188	5.000	————	1.10	9	5-6
	0.188	9.000	————	1.99	9	9-10
8-2-9994	0.190	2.500	————	0.561	9	2-3
8-2-9993	0.190	3.500	————	0.785	9	3-4
8-1-9281	0.203	5.000	————	1.16	9	5-6
8-4-8795	0.218	1.750	————	0.452	9	1-2
	0.250	0.313	————	0.092	12	< 1/2
	0.250	0.375	————	0.111	11	< 1/2
	0.250	0.750	————	0.221	9	1/2-1
	0.250	0.875	————	0.258	9	1/2-1
	0.250	1.125	————	0.332	8	1-2
8-2-177	0.250	1.250	————	0.369	8	1-2

# MAGNODE CORPORATION

**RECTANGLES  
SQUARE CORNERS**




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.250	1.375	————	0.406	8	1-2
	0.250	1.500	————	0.443	8	1-2
8-4-6068	0.250	1.500	————	0.443	8	1-2
8-2-4231	0.250	1.625	————	0.479	8	1-2
	0.250	1.688	————	0.498	8	1-2
	0.250	1.750	————	0.516	8	1-2
	0.250	1.875	————	0.559	8	1-2
8-2-1617	0.250	2.000	————	0.590	8	2-3
	0.250	2.125	————	0.627	8	2-3
8-2-8879	0.250	2.375	————	0.701	7	2-3
	0.250	2.500	————	0.738	7	2-3
6-1-2868	0.250	3.000	————	0.885	7	3-4
	0.250	3.625	————	1.07	7	3-4
8-1-2869	0.250	4.000	————	1.18	7	4-5
8-1-9197	0.250	4.500	————	1.33	7	4-5
	0.250	5.000	————	1.48	7	5-6
	0.250	5.500	————	1.62	7	5-6
	0.250	6.000	————	1.77	7	6-7
5-19-1-5183	0.250	12.563	————	3.71	7	12-13
	0.263	0.875	————	0.271	8	1/2-1
	0.268	0.625	————	0.197	9	1/2-1
	0.281	0.625	————	0.207	9	1/2-1
	0.281	0.688	————	0.228	9	1/2-1
	0.218	0.750	————	0.249	8	1/2-1
	0.281	1.000	————	0.332	8	1-2
10-2-8796	0.281	2.500	————	0.830	7	2-3
	0.313	0.500	————	0.184	9	1/2-1
	0.313	0.875	————	0.322	7	1/2-1
	0.313	1.000	————	0.369	7	1-2
	0.313	1.156	————	0.426	7	1-2

RECTANGLES  
SQUARE CORNERS




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.313	1.250	————	0.461	7	1-2
	0.313	1.750	————	0.645	6	1-2
	0.313	2.000	————	0.738	6	2-3
	0.313	2.500	————	0.922	6	2-3
	0.313	2.750	————	1.01	6	2-3
	0.313	3.000	————	1.10	6	3-4
10-1-5054	0.313	6.000	————	2.22	6	6-7
8-4-10182	0.325	1.250	————	0.479	8	1-2
	0.344	1.156	————	0.468	6	1-2
	0.358	1.375	————	0.581	6	1-2
	0.375	0.500	————	0.222	8	1/2-1
	0.375	0.610	————	0.270	7	1/2-1
	0.375	0.656	————	0.290	7	1/2-1
	0.375	0.750	————	0.332	7	1/2-1
	0.375	0.875	————	0.387	6	1/2-1
	0.375	1.000	————	0.433	6	1-2
	0.375	1.125	————	0.498	6	1-2
	0.375	1.250	————	0.553	6	1-2
	0.375	1.500	————	0.664	6	1-2
	0.375	1.750	————	0.774	5	1-2
	0.375	2.000	————	0.885	5	2-3
	0.375	2.250	————	0.996	5	2-3
	0.375	2.500	————	1.11	5	2-3
	0.375	2.625	————	1.16	5	2-3
	0.375	2.750	————	1.22	5	2-3
	0.375	3.000	————	1.33	5	3-4
	0.375	3.500	————	1.55	5	3-4
8-1-3117	0.375	4.000	————	1.77	5	4-5
	0.375	4.500	————	1.99	5	4-5
	0.375	5.000	————	2.22	5	5-6

# MAGNODE CORPORATION

**RECTANGLES  
SQUARE CORNERS**




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.375	6.000	————	2.66	5	5-6
5-12-1-10184	0.375	6.500	————	2.88	5	6-7
	0.375	8.000	————	3.54	5	8-9
	0.375	9.188	————	4.07	5	9-10
	0.375	14.000	————	6.20	5	14-15
	0.375	14.937	————	6.61	5	14-15
	0.400	0.880	————	0.415	6	1/2-1
	0.406	4.176	————	2.00	5	4-5
	0.438	0.750	————	0.387	6	1/2-1
	0.438	0.875	————	0.452	6	1/2-1
	0.438	1.000	————	0.517	5	1-2
	0.440	1.250	————	0.649	5	1-2
	0.440	3.900	————	2.03	4	3-4
	0.460	0.620	————	0.336	6	1/2-1
	0.500	0.560	————	0.330	6	1/2-1
	0.500	0.650	————	0.384	6	1/2-1
	0.500	0.750	————	0.443	5	1/2-1
	0.500	0.937	————	0.553	5	1-2
84-2-1155	0.500	1.000	————	0.590	5	1-2
	0.500	1.125	————	0.664	5	1-2
	0.500	1.250	————	0.737	4	1-2
	0.500	1.500	————	0.885	4	1-2
	0.500	1.625	————	0.959	4	1-2
8-2-9655	0.500	1.700	————	1.00	4	1-2
	0.500	1.750	————	1.03	4	1-2
	0.500	2.000	————	1.18	4	2-3
	0.500	2.250	————	1.33	4	2-3
	0.500	2.500	————	1.48	4	2-3
8-1-10183	0.500	2.750	————	1.62	4	2-3
	0.500	3.000	————	1.77	4	3-4

# MAGNODE CORPORATION

**RECTANGLES  
SQUARE CORNERS**




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
8-1-865	0.500	3.500	—————	2.07	4	3-4
	0.500	4.000	—————	2.36	4	4-5
	0.500	4.176	—————	2.46	4	4-5
8-1-5073	0.500	4.500	—————	2.66	4	4-5
10-1-7866	0.500	5.000	—————	2.95	4	5-6
10-1-9198	0.500	5.500	—————	3.25	4	5-6
	0.500	6.000	—————	3.54	4	6-7
	0.500	8.000	—————	4.72	4	8-9
5-12-1-6568	0.500	8.750	—————	5.16	4	8-9
5-14-1-6569	0.500	10.625	—————	6.27	4	10-11
5-16-1-6570	0.500	11.250	—————	6.64	4	11-12
	0.500	14.937	—————	8.81	4	14-15
	0.531	0.750	—————	0.470	5	1/2-1
	0.562	0.750	—————	0.498	5	1/2-1
6-2-3500	0.563	1.250	—————	0.830	4	1-2
	0.625	0.750	—————	0.553	5	1/2-1
	0.625	0.875	—————	0.645	5	1-2
	0.625	1.000	—————	0.738	4	1-2
	0.625	2.000	—————	1.48	4	2-3
	0.625	2.250	—————	1.66	3	2-3
	0.625	4.750	—————	3.50	3	4-5
	0.625	5.000	—————	3.69	3	5-6
	0.625	8.000	—————	5.90	3	8-9
	0.625	14.937	—————	11.02	3	14-15
	0.656	2.563	—————	1.98	3	2-3
	0.682	1.750	—————	1.40	3	1-2
8-2-9175	0.748	0.828	—————	0.730	4	1-2
	0.750	0.920	—————	0.814	4	1-2
	0.750	1.000	—————	0.885	4	1-2
	0.750	1.250	—————	1.11	4	1-2

RECTANGLES  
SQUARE CORNERS




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.750	1.500	————	1.33	3	1-2
	0.750	1.750	————	1.55	3	3-4
	0.750	2.000	————	1.77	3	2-3
	0.750	2.250	————	1.99	3	1-2
	0.750	2.500	————	2.21	3	2-3
6-1-8432	0.750	3.000	————	2.66	3	3-4
	0.750	3.000	————	2.66	3	3-4
10-1-9199	0.750	3.500	————	3.10	3	3-4
	0.750	4.000	————	3.54	3	4-5
5-8-1-8419	0.750	4.250	————	3.76	3	4-5
	0.750	4.500	————	3.99	3	4-5
10-1-5609	0.750	6.000	————	5.31	3	6-7
5-12-1-6571	0.750	7.125	————	6.30	3	7-8
	0.755	2.294	————	2.04	3	2-3
	0.813	3.000	————	2.88	3	3-4
	0.860	0.750	————	0.761	4	1-2
	0.860	0.875	————	0.888	4	1-2
	0.860	1.250	————	1.27	3	1-2
	0.860	1.500	————	1.52	3	1-2
	0.860	2.375	————	2.41	3	2-3
	0.860	2.500	————	2.54	3	2-3
	0.860	2.750	————	2.79	3	2-3
	0.860	3.000	————	3.04	3	3-4
	0.860	3.380	————	3.43	2	3-4
	0.860	3.500	————	3.55	2	3-4
	0.860	3.635	————	3.68	2	3-4
	0.860	4.000	————	4.06	2	4-5
	0.860	4.750	————	4.82	2	4-5
	0.860	5.000	————	5.07	2	5-6
	0.860	5.250	————	5.33	2	5-6

RECTANGLES  
SQUARE CORNERS




(RECT-1)

DATE OF ISSUE: 1/28/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.860	6.000	————	6.09	2	6-7
	0.860	6.500	————	6.60	2	6-7
	0.860	6.750	————	6.85	2	6-7
	0.875	1.500	————	1.55	2	1-2
	0.875	2.000	————	2.07	3	2-3
	0.875	2.250	————	2.32	3	2-3
	0.875	3.000	————	3.10	2	3-4
	0.880	1.120	————	1.16	3	1-2
	0.906	1.125	————	1.20	3	1-2
	0.920	1.750	————	1.90	3	1-2
8-1-3637	1.000	1.250	————	1.48	3	1-2
	1.000	1.313	————	1.55	3	1-2
8-2-9115	1.000	1.375	————	1.63	3	1-2
	1.000	1.500	————	1.77	3	1-2
8-2-9230	1.000	1.625	————	1.92	3	1-2
	1.000	1.750	————	2.07	3	2-3
	1.000	1.813	————	2.14	3	2-3
	1.000	2.000	————	2.36	3	2-3
8-1-2320	1.000	3.000	————	3.54	2	3-4
8-1-1541	1.000	4.000	————	4.72	2	4-5
10-1-3521	1.000	6.000	————	7.08	2	6-7
5-12-1-9200	1.000	7.125	————	8.41	2	7-8
5-12-1-9201	1.000	7.625	————	9.00	2	7-8
	1.125	1.750	————	2.32	2	2-3
	1.125	2.000	————	2.66	2	2-3
	1.125	4.125	————	5.48	2	4-5
5-14-1-9485	1.125	7.000	————	9.30	2	7-8
	1.250	1.500	————	2.21	2	1-2
	1.250	1.750	————	2.58	2	2-3
6-1-535	1.250	2.000	————	2.95	2	2-3



RECTANGLES  
ROUNDED CORNERS



(RECT-2)


DATE OF ISSUE: 2/3/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.064	0.500	0.015	0.038	29	1/2-1
	0.064	0.875	0.015	0.066	28	1/2-1
	0.066	0.177	0.040	0.013	33	< 1/2
	0.066	0.650	0.040	0.050	28	1/2-1
	0.069	0.833	0.01 x 45'	0.067	27	1/2-1
	0.081	1.625	0.015	0.155	22	1-2
	0.085	0.875	0.015	0.087	22	1/2-1
	0.085	0.875	0.015	0.087	22	1/2-1
	0.093	0.312	0.010	0.034	23	< 1/2
	0.093	0.250	0.010	0.027	25	< 1/2
	0.188	0.500	0.031	0.110	12	1/2-1
	0.094	2.688	0.031	0.296	19	2-3
	0.100	0.562	0.050	0.064	19	1/2-1
	0.100	0.575	0.016	0.067	20	1/2-1
	0.100	3.750	0.015	0.443	17	3-4
	0.125	0.750	0.010	0.111	16	1/2-1
	0.125	1.250	0.010	0.184	15	1-2
	0.125	1.500	0.010	0.221	15	1-2
	0.125	2.000	0.031	0.294	14	2-3
	0.125	2.880	0.015	0.425	14	2-3
	0.125	4.500	0.625	0.660	14	4-5
	0.130	5.250	0.750	0.805	13	5-6
	0.160	0.687	0.812	0.130	13	1/2-1
	0.184	0.435	.0875	0.092	13	< 1/2
	0.188	0.750	1.000	0.157	11	1/2-1
	0.188	1.000	1.125	0.221	11	1-2
	0.188	1.500	1.250	0.332	10	1-2
	0.188	6.000	1.750	1.32	9	6-7
	0.228	0.743	2.000	0.198	9	1/2-1
	0.249	5.000	2.250	1.45	7	5-6

# MAGNODE CORPORATION

SHEET 2 OF 4

## RECTANGLES ROUNDED CORNERS



(RECT-2)


DATE OF ISSUE: 2/3/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
8-4-483	0.250	0.500	0.010	0.148	10	1/2-1
	0.250	1.000	0.062	0.291	8	1-2
	0.250	1.500	0.125	0.427	8	1-2
	0.250	1.750	0.125	0.500	8	1-2
	0.250	2.000	0.010	0.590	8	2-3
	0.250	3.000	0.125	0.870	7	3-4
	0.250	3.500	0.060	1.03	7	3-4
	0.250	5.000	0.125	1.46	7	5-6
	0.250	6.000	0.125	1.76	7	6-7
11-1-8321	0.250	7.000	0.125	2.05	7	7-8
	0.250	8.000	0.125	2.35	7	8-9
	0.281	3.000	0.141	0.975	6	3-4
8-4-8160	0.313	1.250	0.030	0.460	7	1-2
	0.343	0.468	0.016	0.189	8	2-3
	0.344	0.844	0.031	0.340	7	2-3
	0.375	1.500	0.031	0.664	6	2-3
	0.375	3.000	0.188	1.29	5	3-4
	0.375	4.000	0.188	1.73	5	4-5
5-19-1-5508	0.375	11.000	0.015	4.87	5	11-12
	0.375	12.500	0.015	5.53	5	12-13
	0.380	0.750	0.190	0.300	6	1/2-1
	0.420	0.625	0.030	0.316	7	1/2-1
	0.420	1.000	0.030	0.496	6	1-2
	0.437	1.120	0.219	0.530	5	1-2
	0.440	1.000	0.220	0.470	5	1-2
	0.465	1.630	0.015	0.913	4	1-2
	0.465	2.320	0.015	1.30	4	2-3
	0.465	4.286	0.015	2.39	4	4-5
	0.475	4.859	0.015	2.76	4	4-5
	0.495	0.620	0.046	0.354	6	1/2-1

# MAGNODE CORPORATION

SHEET 3 OF 4

## RECTANGLES ROUNDED CORNERS



(RECT-2)

DATE OF ISSUE: 2/3/94

DIE NUMBER	A	B	C	WT./FT.	FACTOR	CIRCLE SIZE
	0.500	0.875	0.010	0.516	5	1-2
8-4-7548	0.500	1.168	0.062	0.679	5	1-2
	0.500	1.500	0.250	0.821	4	1-2
6-1-4458	0.500	2.120	0.015	1.25	4	2-3
	0.500	4.000	0.250	2.30	4	4-5
	0.500	6.000	0.250	3.48	4	6-7
10-1-2670	0.500	6.500	0.015	3.83	4	6-7
5-12-1-6375	0.500	7.000	0.031	4.13	4	7-8
5-14-1-6684	0.500	8.000	0.250	4.66	4	8-9
6-2-8660	0.718	1.000	0.015	0.838	4	1-2
	0.750	1.500	0.062	1.32	3	1-2
8-1-8090	0.750	1.625	0.125	1.43	3	1-2
10-2-10744	0.750	1.750	0.125	1.53	3	1-2
	0.750	5.000	0.125	4.41	3	5-6
	0.750	7.500	0.015	6.64	2	7-8
	0.810	1.120	0.010	1.07	4	1-2
	0.813	1.375	0.010	1.32	3	1-2
8-1-5841	0.875	4.000	0.250	4.07	2	4-5
8-2-3937	0.901	1.125	0.015	1.19	3	1-2
5-12-2-6140	1.000	1.375	0.062	1.62	3	1-2
10-2-5717	1.000	2.625	0.062	3.09	2	2-3
	1.000	4.500	0.030	5.31	2	4-5
8-2-6565	1.094	1.250	0.031	1.62	3	1-2
	1.100	2.360	0.031	3.07	2	2-3
	1.125	2.500	0.031	3.32	2	2-3
	1.125	3.000	0.031	3.98	2	3-4
	1.140	2.000	0.015	2.69	2	2-3
	1.187	2.375	0.031	3.33	2	2-3
	1.187	2.875	0.031	4.02	2	3-4
	1.250	1.500	0.062	2.21	2	1-2

